

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Please cancel claims 10, 23 and 30-35 without prejudice.

Please amend claims 1, 6, 7, 15, 16, 19 and 21 as indicated below (material to be inserted is in **bold and underline**, and material to be deleted is in ~~strikeout~~ or (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[ ]]:

**Listing of Claims:**

1. (Currently Amended) A display device, comprising:  
a **static** spectral separator configured to ~~refractively~~ separate multispectral light into a plurality of light bands; and  
a homogenizing element configured to homogenize at least one separated light band.
2. (Original) The display device of claim 1, further comprising a light source configured to produce the multispectral light.
3. (Original) The display device of claim 1, further comprising an image-forming element configured to form an image using the homogenized light band.
4. (Original) The display device of claim 3, where the homogenized light band is configured to have a cross-section that facilitates scanning onto the image-forming element.

5. (Original) The display device of claim 4, where the cross-section includes an elongate ribbon.

6. (Currently Amended) The display device of claim 1, where the static spectral separator includes a prism.

7. (Currently Amended) The display device of claim 1, where the static spectral separator is configured to ~~refractively~~ separate the multispectral light into at least three light bands.

8. (Original) The display device of claim 7, where the at least three light bands include red, green, and blue light bands.

9. (Original) The display device of claim 1, comprising at least one homogenizing element for each separated light band.

10. (Cancelled)

11. (Original) The display device of claim 9, where each homogenizing element includes a light pipe.

12. (Original) The display device of claim 1, further comprising an interlacing structure configured to interlace the separated light bands.

13. (Original) The display device of claim 12, where the interlacing structure include a plurality of dichroic mirrors.

14. (Original) The display device of claim 1, where the image-forming element includes a micromirror array.

15. (Currently Amended) A method of making a display device, comprising:

providing a light source;

providing a static spectral separator configured to ~~refractively~~ separate the light from the light source into a plurality of light bands;

providing a homogenizing element configured to homogenize at least one separated light band;

providing an image-forming element configured to form an image from the homogenized light.

16. (Currently Amended) The method of claim 15, where providing the light source includes providing a multispectral light source;

providing the static spectral separator includes providing a prism;

providing the homogenizing element includes providing a light pipe; and

providing the image-forming element includes providing a micromirror array.

17. (Original) The method of claim 15, further comprising providing an interlacing structure configured to interlace a plurality of homogenized light bands.

18. (Original) The method of claim 17, further comprising providing a scanning device configured to scan the interlaced homogenized light bands across the image-forming element.

19. (Currently Amended) A method of forming a projected image, comprising

generating multispectral light;

refractively separating the multispectral light into a plurality of light bands by

passing the multispectral light through a static spectral separator;

homogenizing at least one separated light band; and

forming an image using at least one homogenized light band.

20. (Original) The method of claim 19, where generating multispectral light includes generating substantially white light.

21. (Currently Amended) The method of claim 19, where ~~refractively~~ separating the multispectral light into a plurality of light bands includes passing the multispectral light through a prism.

22. (Original) The method of claim 19, where homogenizing at least one separated light band includes passing the light band through a light pipe.

23. (Cancelled)

24. (Original) The method of claim 19, where forming an image includes selectively reflecting the light band from a reflective image-forming element.

25. (Original) The method of claim 24, where the image-forming element includes a micromirror array.

26. (Original) The method of claim 19, where forming an image includes scanning at least one homogenized light band across an image-forming element.

27. (Original) The method of claim 26, where the scanned homogenized light band has the shape of an elongate ribbon.

28. (Original) The method of claim 19, including homogenizing each of a plurality of separated light bands.

29. (Original) The method of claim 28, further comprising interlacing the plural homogenized light bands.

30. (Cancelled)

31. (Cancelled)

32. (Cancelled)

33. (Cancelled)

34. (Cancelled)

35. (Cancelled)